

DIVING CENTER

Mares

ROVER 15X

Code: **416254 INT / DIN 300**



- 2ND STAGE
- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
 - VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
 - MID-SIZE
 - OVERSIZED PURGE BUTTON
 - RUBBER HOSE

- 1ST STAGE
- DFC PORT
 - PRE-ORIENTED PORTS
 - COMPACT SIZE
 - SANDBLASTED FINISH



TECHNICAL FEATURES

1st Stage	Type	INT	DIN 300 bar
	Weight	772g / 27.2oz	598g / 21.1oz
	High pressure ports	2 HP 7/16" UNF	
	Low pressure ports	4 LP 3/8" UNF	
2nd Stage	Weight	190g / 6.7oz	
	Material / Technology	Ultralight Technopolymer	
	LP Hose Type/Length	Rubber hose / 80cm	
Total weight (including hose)		1107g / 39oz	933g / 32.9oz

OCTOPUS ROVER

Code: **416557 NR**

Code: **416584 NR - DC Pack (MOQ 6pcs)**



- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

TECHNICAL FEATURES

2nd Stage	Weight	190g / 6.7oz
	Material / Technology	Ultralight Technopolymer
	LP Hose Type /Length	Rubber hose/ 100cm
Total weight (including hose)		365g /12.8 oz

ROVER 2S

Code: **416255 INT / DIN 300**

Code: **416266 - DC Pack (MOQ 6pcs)**



- 2ND STAGE
- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
 - VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
 - MID-SIZE
 - OVERSIZED PURGE BUTTON
 - RUBBER HOSE

- 1ST STAGE*
- LIGHTWEIGHT, STURDY AND COMPACT
 - PISTON CONTROL
 - DEDICATED PLACE FOR RFID CHIP



TECHNICAL FEATURES

1st Stage	Type	INT	DIN 300 bar
	Weight	608g / 21.4oz	432g / 15.2oz
	High pressure ports	1 HP 7/16" UNF	
	Low pressure ports	4 LP 3/8" UNF	
2nd Stage	Weight	190g / 6.7oz	
	Material / Technology	Ultralight Technopolymer	
	LP Hose Type/Length	Rubber hose / 80cm	
Total weight (including hose)		977g / 34.5oz	978g / 34.5oz



1ST STAGE 15X*

Code: **416237 INT /DIN 300**

- DFC PORT
- PRE-ORIENTED PORTS
- SANDBLASTED FINISH



TECHNICAL FEATURES

1st Stage	Type	INT	DIN 300 bar
	Weight	772g / 27.2oz	598g / 21.1oz
	High pressure ports	2 HP 7/16" UNF ports	
	Low pressure ports	4 LP 3/8" UNF ports	

AST DRY SYSTEM

Code: **416811 INT**

Code: **416812 DIN**

- AUTO-SEALING TECHNOLOGY
- KEEPS THE FIRST STAGE DRY
- ACTIVATED BY GAS
- CAN BE USED WITH A HIGHER PERCENTAGE OF OXYGEN
- CAN BE USED IN COLD WATER
- CAN BE INSTALLED ON 15X AND 2S 1ST STAGES



MOUTHPIECE KIT

Code: **415345**

- BLACK
- FITS ON ALL MARES REGULATORS
- 20 PCS STANDARD + 10 PCS SMALL + 30 CLAMPS



1ST STAGE 2S*

Code: **416232 INT /DIN 300**

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP



TECHNICAL FEATURES

1st Stage	Type	INT	DIN 300 bar
	Weight	608g / 21.4oz	432g / 15.2oz
	High pressure ports	1 HP 7/16" UNF port	
	Low pressure ports	4 LP 3/8" UNF ports	

15X-2S DIN CONNECTOR

Code: **416809**

- FOR 200 AND 300 BAR USE
- CONICAL SINTERED FILTER



MR-1

Code: **414405 - DC Pack (MOQ 6pcs) - IN (BAR) / US (PSI)**

NEW

- SMALL, COMPACT DIMENSIONS
- 50MM BRASS HOUSING
- TECHNOPOLYMER WINDOW
- NITROX USE OUT OF BOX
- PHOSPHORESCENT DIAL
- PROTECTIVE RUBBER CONSOLE WITH ATTACHMENT POINT
- 80CM HOSE
- AVAILABLE IN BAR AND PSI
- ECO-FRIENDLY PACKAGING



* Not to scale
Mares regulators have been tested and certified in compliance with EC directive 89/686/EEC and/or European Regulation 2016/425 according to the EN 250: 2014 standard.

* For use with octopuses and second stages with which it has been certified. Assembly, checks and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

DIVING CENTER / BCD LINE

- UV PROTECTED 1000 DENIER CORDURA®
- STANDARD BUCKLE WEIGHT SYSTEM (OPTIONAL - ROVER PRO DC)
- HEIGHT ADJUSTABLE SHOULDER BUCKLES
- SPECIALLY DESIGNED OCTOPUS AND PRESSURE GAUGE POCKETS
- BACKPACK WITH HANDLE TO CARRY EASILY
- ADJUSTABLE CUMMERBUND
- HIGH BUOYANCY LIFT
- COLOR & SIZE IDENTIFICATION



Color & Size identification



Flat Ergo inflator



Backpack



Trim Weights

TRIM WEIGHT

Code: **417964 - [PAIR]**

- EASY TO INSTALL ON TANK BAND
- DOUBLE LOOP TO FIT PERFECTLY ON THE BAND
- PERFECT BUOYANCY
- LESS WEIGHT ON THE BELT
- WEIGHT CAPACITY: 2kg EACH



STANDARD WEIGHT SYSTEM

Code: **417968 - SMALL: 4kg / 9lbs [PAIR]**

Code: **417967 - LARGE: 6kg / 13lbs [PAIR]**

- ADD-ON TO UPGRADE BCD WITH STANDARD BUCKLE WEIGHT SYSTEM
- ZIPPERED POCKET
- EASY USE WITH THICK GLOVES



ROVER PRO DC

Code: **417366**



ROVER DC

Code: **417342**



Standard buckle weight system (optional)

TECHNICAL FEATURES

Sizes	XXS	XS	S	M	L	XL	2XL
Weight	3,1kg / 6.8lb	3,1kg / 6.8lb	3,2kg / 7.0lb	3,3kg / 7.2lb	3,3kg / 7.2lb	3,4kg / 7.5lb	3,4kg / 7.5lb
Buoyancy	140 N (14,2kg / 31.3lb)	140 N (14,2kg / 31.3lb)	150 N (16kg / 35lb)	160 N (16,3kg / 35.9lb)	200 N (21kg / 46lb)	230 N (23,5kg / 51.7lb)	240 N (24,5kg / 54lb)

TECHNICAL FEATURES

Sizes	XXS	XS	S	M	L	XL	2XL
Weight	2,7kg / 5.9lb	2,7kg / 5.9lb	2,9kg / 6.4lb	3,0kg / 6.6lb	3,0kg / 6.6lb	3,1kg / 6.8lb	3,1kg / 6.8lb
Buoyancy	140 N (14,2kg / 31.3lb)	140 N (14,2kg / 31.3lb)	150 N (16kg / 35lb)	160 N (16,3kg / 35.9lb)	200 N (21kg / 46lb)	230 N (23,5kg / 51.7lb)	240 N (24,5kg / 54lb)

DIVING CENTER / WETSUIT LINE

- PERFECT FIT AND FREEDOM OF MOVEMENT
- EXTRA LONG FRONT ZIPPER FOR EASIER DONNING AND DOFFING
- POLYURETHANE PROTECTION ON THE AREAS SUBJECT TO THE GREATEST WEAR
- ZIPS AT THE ANKLES
- HOOD WITH TWO HOLES FOR VENTING TRAPPED AIR
- WIDE FACE OPENING FOR GREATER COMFORT
- MANUFACTURED ENTIRELY IN ULTRASTRETCH MATERIAL
- ALSO AVAILABLE IN CHILDREN'S SIZES, FROM -3 TO 0
- VERY LARGE SIZES, +8 AND +9
- COLOR & SIZE IDENTIFICATION SYSTEM



Color & Size identification system

Extra Long Front Zipper


PU protection

DIVING CENTER / SIZE GUIDE CHART

412381 / 412377 / 412379 / 412380 / 412388 - ROVER UNISEX

COLOR&SIZE	EU SIZE	MAN SIZE	LADY SIZE	KIDS	HEIGHT
- 3				8 years	128-134
- 2			32	10 years	140
- 1			32L	12 years	152
0			34/36	14 years	164
1	XS	44	36/38		170
2	S	46	38/40		173
3	M	46/48	40/42		176
4	L	48/50	44/46		179
5	XL	50/52	48/50		182
6	XXL	52/54			185
7	3XL	54/56			188
8	4XL	56/58			191
9	5XL	58/60			194

412378 / 412430 - ROVER SHE DIVES



IT	2	3	4
EU	S	M	L
USA	6	8	10
1	167 / 5'6"	170 / 5'7"	173 / 5'8"
2	81,5 / 32"	85,5 / 34"	89,5 / 35"
3	71 / 28"	75 / 30"	79 / 31"
4	88 / 35"	92 / 36"	96 / 38"



DIVING CENTER LINE


Years of research and development combined with experience and feedback from our Diving Centers around the world, have all contributed to the creation of the Mares Diving Center project. A line of products and support services designed specifically with the most demanding Diving Centers in mind. Mares' guarantee and experience delivers the high quality standard required by every Diving Center.

ROVER LINE

The diving center market is an extremely important part of the diving business. Mares supports this market with a dedicated product line. Careful attention was paid to the durability, functionality and comfort of the Rover line. It is a dedicated product line, including regulators, bc-vests, wetsuits and masks developed to meet the special needs of DC customers.

COLOR & SIZE

Mares found a solution to help you in your daily business; by introducing a new quick and easy Color & Size identification system on many products. This system will allow you and your staff to immediately identify the different sizes in your Diving Center and rental equipment just by looking at the color codes.



Color & Size

ROVER OVERALL WITH HOOD

Code: **412381 - 7 mm**

Code: **412377 - 5 mm**

Code: **412378 - 5 mm She Dives**

Code: 412430 - 7 mm She Dives



TECHNICAL FEATURES

Thickness	7.0 mm / 5.0 mm												
Fabric type	Ultrastretch Neoprene												
Sizes	-3	-2	-1	0	1	2	3	4	5	6	7	8	9

TECHNICAL FEATURES

Thickness	7.0 mm / 5.0 mm											
Fabric type	Ultrastretch Neoprene											
She Dives Sizes						2	3	4				

ROVER OVERALL HOODLESS

Code: **412379** - 5 mm

Code: **412380 - 3 mm**

TECHNICAL FEATURES

Thickness	5.0 mm / 3.0 mm												
Fabric type	Ultrastretch Neoprene												
Sizes	-3	-2	-1	0	1	2	3	4	5	6	7	8	9

ROVER HOOD

Code: **412813**

TECHNICAL FEATURES

Thickness	5.0 mm		
Fabric type	Ultrastretch Neoprene		
Sizes	S	M	L

ROVER SHORTY

Code: **412388**

TECHNICAL FEATURES

Thickness	3.0 mm												
Fabric type	Ultrastretch Neoprene												
Sizes	-3	-2	-1	0	1	2	3	4	5	6	7	8	9

RASH GUARD

- PERFECT AS AN UNDERSUIT AND SKIN PROTECTION
- IDEAL FOR ALL WATERSPORTS ACTIVITIES
- MALE AND FEMALE VERSIONS
- FLATLOCK STITCHED SEAMS
- IDEAL FOR DC STAFF IDENTIFICATION



MAN

Code: 412416 - Rash Guard Short Sleeve
Code: 412421 - Rash Guard Long Sleeve
Code: 412547 - Shorts

SHE DIVES

Code: 412417 - Rash Guard Short Sleeve
Code: 412422 - Rash Guard Long Sleeve
Code: 412548 - Shorts



TECHNICAL FEATURES

Fabric	Polyester/Spandex						
Short Sleeve		S	M	L	XL	2XL	3XL
Long Sleeve		S	M	L	XL	2XL	3XL
Shorts	XS	S	M	L	XL	2XL	3XL

TECHNICAL FEATURES

Fabric	Polyester/Spandex						
Short Sleeve		XS	S	M	L	XL	2XL
Long Sleeve		XS	S	M	L	XL	2XL
Shorts	XXS	XS	S	M	L	XL	2XL

ROVER

Code: 411243

- INTEGRATED BUCKLES
- WIDER RANGE OF FITTING
- STURDY AND DURABLE CONSTRUCTION
- SILICONE SKIRT



COLOR VARIATIONS



ROVER PRO

Code: 411519

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- EXHAUST VALVE
- SILITER MOUTHPIECE

COLOR VARIATIONS



ROVER MASKS & SNORKEL SET

Code: 411768

- 6 ROVER MASKS
- 6 ROVER S SNORKELS
- 2 SILICONE STRAPS
- 4 SPARE BUCKLES
- 4 STRAP'S LOOPS
- 1 SILICONE MOUTHPIECE



COLOR VARIATIONS



ROVER S

Code: 411478

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILICONE MOUTHPIECE

COLOR VARIATIONS



ROVER HD

Code: 411266


- HEAVY DUTY CONSTRUCTION
- INTEGRATED BUCKLES SYSTEM ON FRAME, EASY TO USE EVEN WITH GLOVES
- WIDE RANGE OF FITTING
- EXTREMELY COMFORTABLE SILICONE SKIRT
- COMPLETE RANGE OF OPTICAL LENSES AVAILABLE




ROVER HD MASKS & SNORKEL SET

Code: 411799

- 6 ROVER HD MASKS
- 6 ROVER SNORKELS
- 2 TOP FRAME
- 2 SILICONE STRAPS
- 4 STRAP'S LOOPS
- 4 BUCKLE'S ROLLERS
- 1 SILICONE MOUTHPIECE



COLOR VARIATIONS



ACCESSORIES

Optical lens* [from -1,5 to -6,0 / +1,75 +2,25 +2,75]	411195
---	--------

COLOR VARIATIONS




ACCESSORIES

Optical lens* [from -1,5 to -6,0 / +1,75 +2,25 +2,75]	411195
---	--------

*Our optical lenses conform to norm EN 16805. They are not medical devices.

ROVER HD

The Rover HD (Heavy Duty) mask was specifically designed to be resilient and durable, ideal for intensive use, such as in Diving Centers and for rentals. It's available both as an individual product (code 411266), and as a six-piece set, paired with snorkels and spare parts (code 411799).



SCAN THE QR CODE
TO SEE OUR OPTICAL LENS
INSTALLING VIDEO GUIDE

FRAME
The frame, in five color options, is thicker to better withstand abuse, sanitizing and maintenance treatments.



FITTING
Features the new Super-Fit silicone skirt that can adapt to all facial types.



OPTICAL RX LENSES
The neutral lenses can be replaced with optical lenses 411195, available in three positive (+1.75, +2.25, +2.75) and ten negative (from -1.5 to -6) diopters.



BUCKLES
The buckles are integrated into the frame and are rugged. They feature large buttons that are easy to use even when wearing gloves.

AVANTI PURE

Code: 410027



- A 2-MATERIAL, OPEN HEEL FIN
- CAN BE USED BAREFOOT OR WITH MARES PURE BOOTIES
- SOFT AND COMFORTABLE FOOT POCKET
- ERGONOMIC HEEL PAD (PATENT PENDING) MINIMIZES PRESSURE ON THE ACHILLES' TENDON
- SPECIAL BUNGEE STRAP FOR MAXIMUM COMFORT DURING USE, WHEN DONNING AND DOFFING
- THE LOOPS ON THE FOOT POCKET MAINTAIN THE STRAP IN THE CORRECT POSITION



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	XXS	SM	M/L	L/XL
Fit	30/34	35/38	39/43	44/47
Blade*	27 cm / 10.6 in	29,5 cm / 11.6 in	32 cm / 12.6 in	34,5 cm / 13.6 in

BUOYANCY	NEGATIVE	NEUTRAL	POSITIVE
FITTING	REGULAR		WIDE
WEIGHT (Size R or 42)	0.5 KG		1.0 KG
MANEUVERABILITY	MEDIUM		HIGH
THRUST/ USE AGAINST CURRENT	LOW PERFORMANCE		HIGH PERFORMANCE
KICKING	FROG	BOTH	FLUTTER

* From end of footpocket to end of blade

AVANTI HC PRO

Code: 410347



- ERGONOMIC FOOT POCKET. THE LATERAL RIB DISCHARGES PRESSURE IN LINE WITH THE FOOT, PREVENTING LATERAL COMPRESSION
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/ EFFORT RATIO
- RIDGES ON THE BACK OF THE BLADE: REINFORCE THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY
- OVERMOLDING ON THE BACK RIB FURTHER OPTIMIZES THRUST AND PERFORMANCE



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	32.5cm 12.8in	34.5cm 13.5in	36cm 14.2in	38cm 15in	40cm 15.7in	42cm 16.5in

BUOYANCY	NEGATIVE	NEUTRAL	POSITIVE
FITTING	REGULAR		WIDE
WEIGHT (Size 42)	0.5 KG		1.0 KG
MANEUVERABILITY	MEDIUM		HIGH
THRUST/ USE AGAINST CURRENT	LOW PERFORMANCE		HIGH PERFORMANCE
KICKING	FROG	BOTH	FLUTTER

PLANA AVANTI X3

Code: 410001



- ABS PLUS BUCKLE FOR ONE HAND ADJUSTMENT
- 3 CHANNELS FOR MAXIMUM THRUST
- STABILIZING TRIM TABS
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	XS	S	R	XL
Blade*	33 cm 13.0 in	35 cm 13.7 in	37 cm 14.5 in	37 cm 14.5 in

BUOYANCY	NEGATIVE	NEUTRAL	POSITIVE
FITTING	REGULAR		WIDE
WEIGHT (Size R or 42)	0.5 KG		1.0 KG
MANEUVERABILITY	MEDIUM		HIGH
THRUST/ USE AGAINST CURRENT	LOW PERFORMANCE		HIGH PERFORMANCE
KICKING	FROG	BOTH	FLUTTER

* From end of footpocket to end of blade

AVANTI TRE


Code: 410302



- ORTHOPEDIC FOOT POCKET
- 3 CHANNELS FOR MAXIMUM THRUST
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION
- STABILIZING TRIM TABS



COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	36/37	38/39	40/41	42/43	44/45	46/47
Blade*	31 cm 12.2 in	33 cm 13 in	34 cm 13.4 in	36 cm 14.2 in	36,5 cm 14.5 in	37,5 cm 14.8 in

BUOYANCY	NEGATIVE	NEUTRAL	POSITIVE
FITTING	REGULAR		WIDE
WEIGHT (Size R or 42)	0.5 KG		1.0 KG
MANEUVERABILITY	MEDIUM		HIGH
THRUST/ USE AGAINST CURRENT	LOW PERFORMANCE		HIGH PERFORMANCE
KICKING	FROG	BOTH	FLUTTER

ROVER 10LR

Code: **415695**

Code: **415696 - DC Pack (MOQ 6pcs)**

- LED BATTERY CHARGE INDICATOR
RECHARGEABLE BATTERY
- CREE LED
 - OVER 2 HOURS AND 30 MINUTES BURN TIME (MAX POWER)
 - POWERFUL LIGHT BEAM
 - AN LED IN THE SWITCH INDICATES BATTERY CHARGE LEVEL WHEN IN USE
 - IN-HOUSE RECHARGEABLE BATTERY
 - USB CHARGING CABLE
 - AN LED IN THE USB CHARGING PORT INDICATES BATTERY LEVEL WHILE CHARGING
 - MULTIFUNCTIONAL MECHANICAL SWITCH
 - AN "ELECTRONIC LOCK" SYSTEM PREVENTS THE TORCH FROM BEING ACCIDENTALLY SWITCHED ON - DOUBLE CLICK THE SWITCH TO TURN ON THE TORCH
 - FOUR OPTIONS: ON, LOW, SOS, OFF
 - HANDY AND COMPACT
 - ADJUSTABLE WRIST STRAP



TECHNICAL FEATURES			
Bulb	1pcsXPL-V6-LED		
Switch Mode	High	Low	Flash/SOS
Led lumens (25°)	950	500	/
Burn time (min)	166	230	210
Color temperature (k)	5800-7300		
Light beam (1m distance)	Hot Spot (12°)		
(mm/in)	200/7.9		
Rechargeable batteries (li-ion)	1 x ICR18650		
Time to charge	240 min		
Total length (mm/in)	153.9/6.1		
Head diameter (mm/in)	35/1.4		
Body diameter (mm/in)	28/1.1		
Weight with batteries (gr/oz)	172/6.0		
Max operating depth (m/feet)	100/328		

EOS STROBE

Code: **415693**

- 450 LUMENS
- 360° HIGH VISIBILITY
- 5/25 HOURS OF BURN TIME
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- MAGNETIC, ROTATIONAL SWITCH
- TWO OPERATING MODES: ON, STROBE
- ANODIZED ALUMINUM HOUSING
- ADJUSTABLE STRAP
- PADDED CASE WITH ZIP



TECHNICAL FEATURES		
Bulb	1 Cree XPE LED Chip	
Switch mode	High	Flash/SOS
Led lumens (25°)	450	/
Burn time (min)	300	1500
Color temperature (k)	5800 ÷ 7300	
Light beam (1m distance)	Diffused light	
Flash Rate (p/min)	120	
Rechargeable batteries (li-ion)	1x ICR26650	
Time to charge	6 h (5V1A adapter) - 12 h (PC 500mA)	
Total length (mm/in)	170 / 6.6	
Head diameter (mm/in)	39 / 1.6	
Body diameter (mm/in)	34 / 1.4	
Weight with batteries (gr/oz)	245 / 8.6	
Max operating depth (m/feet)	100 / 328	

CRUISE DRY ATTACK TITAN

Code: **415524**

- HEAT SEALED BAG WITHOUT STITCHING
- 500D TARPULIN, STURDY AND LIGHTWEIGHT
- FOLDABLE WITH A LARGE INTERNAL VOLUME
- ADJUSTABLE HANDLES
- SIDE DRAIN VALVE



TECHNICAL FEATURES		
Dimensions (LxWxH)	Unit Net Weight	Volume
90x46x35 cm / 35.4"x 18.1"x 13.7"	1,7Kg / 3,7lb	144 L / 8787 cu.in

ROLL OF WEBBING

Code: **415128**

- 50m/45Y EACH ROLL
- CUSTOMIZABLE ACCORDING TO DC NEEDS
- MARES SILVER LOGO
- PERFECT FOR MARES STAINLESS STEEL BUCKLE



PROTECTION BAG

Code: **44201169**

- NEOPRENE BAG WITH ADJUSTABLE CLOSURE SYSTEM
- THE PERFECT SOLUTION TO PROTECT 2ND STAGES AND THE BCV INFLATOR BODY
- IDEAL FOR STORING AND PROTECTING A MASK, COMPUTER AND PERSONAL BELONGINGS



WEIGHT BELT BUCKLES

Code: **415129**

- STAINLESS STEEL
- "V" SHAPE FRONT FLAP TO CLOSE EASILY
- MARES EMBOSSED LOGO
- 10PCS KIT
- IDEAL FOR MARES WEBBING ROLL



ALUMINUM TANK

Code: pls contact your local distributor

- 12L / 80CFT, THE IDEAL SIZE FOR DC
- US DOT-3AL BRUSHED ALUMINUM
- 3 VERTICAL SILKSCREEN MARES DC LOGOS



TANK NETS

Code: 415749 10L YL

Code: 415731 12L BL

Code: 415730 15L BK

- HIGH QUALITY NYLON
- VARIOUS COLORS & SIZES
- 10L/YELLOW, 12L/BLUE AND 15L/BLACK



TANK VALVE DC

Code: 415064 Single Connection

- FOR ALUMINUM TANK
- INT/DIN
- BURST DISC



VALVE 2ND CONNECTION*

Code: 45200439

- INT/DIN VALVE CONNECTION LEFT
- OPTIONAL FOR 10 AND 12 LITER TANK VALVES



TANK VALVES*

Code: 45200446 Single Connection (EN 144-1)

- M25 X 2
- INT/DIN



Code: 45200448 Double Connection (EN 144-1)

- M25 X 2
- INT/DIN



* To assemble the valve on the tank must be done by a Authorized Service Center comply with Country regulations



Product specifications and characteristics listed in this catalogue may be subject to changes by Mares without notice.

The trademark **mares**® is a registered trademark.

 **PHOTO CREDITS:**

Massimiliano Eleola - Janez Kranjc - Predrag Yuckovic

ISO 9001:2015 certified

mares



Mares S.p.A.
Salita Bonsen 4
P.O. Box 142
16035 Rapallo (Genova) · ITALY
Tel. +39 0185 2011 / fax +39 0185 201470
www.mares.com